Genome

Contents
Volume 44, 2001

Génome

Sommaire
Volume 44, 2001

February / février

ARTICLES

M. Teraishi, H. Hirochika, Y. Okumoto, A. Horibata, H. Yamagata, and T. Tanisaka Identification of YAC clones containing the mutable *slender glume* locus *slg* in rice (*Oryza sativa* L.) 1

Z. Jiang, J.P. Gibson, A.L. Archibald, and C.S. Haley The porcine gonadotropin-releasing hormone receptor gene (*GNRHR*): Genomic organization, polymorphisms, and association with the number of corpora lutea 7

A.J. Fazekas and F.C. Yeh Random amplified polymorphic DNA diversity of marginal and central populations in *Pinus contorta* subsp. *latifolia* 13

X.-M. Li, R.R.-C. Wang, S.R. Larson, and N.J. Chatterton Development of a STS marker assay for detecting loss of heterozygosity in rice hybrids 23

K. Mekada, M. Harada, L.K. Lin, K. Koyasu, P.M. Borodin, and S.-I. Oda Pattern of X–Y chromosome pairing in the Taiwan vole, *Microtus kikuchii* 27

S. Saji, Y. Umehara, B.A. Antonio, H. Yamane, H. Tanoue, T. Baba, H. Aoki, N. Ishige, J. Wu, K. Koike, T. Matsumoto, and T. Sasaki A physical map with yeast artificial chromosome (YAC) clones covering 63% of the 12 rice chromosomes 32

J.D. Sherman, L.Y. Smith, T.K. Blake, and L.E. Talbert Identification of barley genome segments introgressed into wheat using PCR markers 38

R. Koebner and J. Hadfield Large-scale mutagenesis directed at specific chromosomes in wheat 45

V. Ashkenazi, E. Chani, U. Lavi, D. Levy, J. Hillel, and R.E. Veilleux Development of microsatellite markers in potato and their use in phylogenetic and fingerprinting analyses 50

M. Xu, E. Huaracha, and S.S. Korban Development of sequence-characterized amplified regions (SCARs) from amplified fragment length polymorphism (AFLP) markers tightly linked to the *Vf* gene in apple 63

G. Mahesh, N.B. Ramachandra, and H.A. Ranganath Autoradiographic study of transcription and dosage compensation in the sex and neo-sex chromosome of *Drosophila nasuta nasuta* and *Drosophila nasuta albomicans* 71

M.-H. Flament, I. Kebe, D. Clément, I. Pieretti, A.-M. Risterucci, J.-A.-K. N'Goran, C. Cilas, D. Despréaux, and C. Lanaud Genetic mapping of resistance factors to *Phytophthora palmivora* in cocoa 79

H.H. Yan, G.Q. Liu, Z.K. Cheng, S.K. Min, and L.H. Zhu Characterization of euploid backcross progenies derived from interspecific hybrids between *Oryza sativa* and *O. eichingeri* by restriction fragment length polymorphism (RFLP) analysis and genomic in situ hybridization (GISH) 86

A.F. Saifitdinova, S.E. Derjusheva, A.G. Malykh, V.G. Zhurov, T.F. Andreeva, and E.R. Gaginskaya Centromeric tandem repeat from the chaffinch genome: Isolation and molecular characterization 96

H. Salvo-Garrido, S. Travella, T. Schwarzacher, W.A. Harwood, and J.W. Snape An efficient method for the physical mapping of transgenes in barley using in situ hybridization 104

J.M. Bradeen, J.E. Staub, C. Wye, R. Antonise, and J. Peleman Towards an expanded and integrated linkage map of cucumber (*Cucumis sativus* L.) 111

I. Buño, J.L. Fernández, C. López-Fernández, J.L. Díez-Martín, and J. Gosálvez *Sau*3A in situ digestion of human chromosome 3 pericentromeric heterochromatin. I. Differential digestion of α-satellite and satellite 1 DNA sequences 120

G. Künzel, K.I. Gecheff, and I. Schubert Different chromosomal distribution patterns of radiation-induced interchange breakpoints in barley: First post-treatment mitosis versus viable offspring 128

M. Dobrzanska, E. Kraszewska, M. Bucholc, and G. Jenkins Molecular cytogenetic analysis of DNA sequences with flanking telomeric repeats in *Triticum aestivum* cv. Begra 133

M. Doğramacı-Altuntepe and P.P. Jauhar Production of durum wheat substitution haploids from durum × maize crosses and their cytological characterization 137

NOTE

D. Singh and M. Singh Organization of 5S ribosomal RNA genes in tea (*Camellia sinensis*) **143**

Instructions to Authors **I-1**

Recommandatons aux auteurs **R-1**

April / avril

ARTICLES

C. Li and F.C. Yeh Construction of a framework map in *Pinus contorta* subsp. *latifolia* using random amplified polymorphic DNA markers **147**

M. Luo, Y.-H. Wang, D. Frisch, T. Joobeur, R.A. Wing, and R.A. Dean Melon bacterial artificial chromosome (BAC) library construction using improved methods and identification of clones linked to the locus conferring resistance to melon Fusarium wilt (*Fom-2*) **154**

M. Pfenninger and M. Bugert Dynamic microsatellites in transcribed regions of gastropod mitochondrial 16S rDNA **163**

A. Idnurm and B.J. Howlett Characterization of an opsin gene from the ascomycete *Leptosphaeria maculans* **167**

A. Tothová and F. Marec Chromosomal principle of radiation-induced F_1 sterility in *Ephestia kuehniella* (Lepidoptera: Pyralidae) **172**

J.D. Pyatskowit, C.C. Krueger, H.L. Kincaid, and B. May Inheritance of microsatellite loci in the polyploid lake sturgeon (*Acipenser fulvescens*) **185**

C.A. Kremer, M. Lee, and J.B. Holland A restriction fragment length polymorphism based linkage map of a diploid *Avena* recombinant inbred line population **192**

M.A. Gedil, M.B. Slabaugh, S. Berry, R. Johnson, R. Michelmore, J. Miller, T. Gulya, and S.J. Knapp Candidate disease resistance genes in sunflower cloned using conserved nucleotide-binding site motifs: Genetic mapping and linkage to the downy mildew resistance gene *Pl1* **205**

M.A. Gedil, C. Wye, S. Berry, B. Segers, J. Peleman, R. Jones, A. Leon, M.B. Slabaugh, and S.J. Knapp An integrated restriction fragment length polymorphism – amplified fragment length polymorphism linkage map for cultivated sunflower **213**

C.A. Blakey, S.L. Goldman, and C.L. Dewald Apomixis in *Tripsacum*: Comparative mapping of a multigene phenomenon **222**

M. Torrell and J. Vallès Genome size in 21 *Artemisia* L. species (Asteraceae, Anthemideae): Systematic, evolutionary, and ecological implications **231**

D. Cafasso, S. Cozzolino, P. Caputo, and P. De Luca Maternal inheritance of plastids in *Encephalartos* Lehm. (Zamiaceae, Cycadales) **239**

S. Päällysaho, S. Huttunen, and A. Hoikkala Identification of X chromosomal restriction fragment length polymorphism markers and their use in a gene localization study in *Drosophila virilis* and *D. littoralis* **242**

V.A. Portyanko, D.L. Hoffman, M. Lee, and J.B. Holland A linkage map of hexaploid oat based on grass anchor DNA clones and its relationship to other oat maps **249**

M.G. Francki Identification of *Bilby*, a diverged centromeric Ty1-*copia* retrotransposon family from cereal rye (*Secale cereale* L.) **266**

M. Ørgaard and K. Anamthawat-Jónsson Genome discrimination by in situ hybridization in Icelandic species of *Elymus* and *Elytrigia* (Poaceae: Triticeae) **275**

Y. Mano, S. Kawasaki, F. Takaiwa, and T. Komatsuda Construction of a genetic map of barley (*Hordeum vulgare* L.) cross 'Azumamugi' × 'Kanto Nakate Gold' using a simple and efficient amplified fragment-length polymorphism system **284**

H.H.Q. Heng, G. Liu, W. Lu, S. Bremer, C.J. Ye, M. Hughes, and P. Moens Spectral karyotyping (SKY) of mouse meiotic chromosomes **293**

NOTES

S.N.H. Ali, D.J. Huigen, M.S. Ramanna, E. Jacobsen, and R.G.F. Visser Genomic in situ hybridization analysis of a trigenomic hybrid involving *Solanum* and *Lycopersicon* species **299**

H. Chibana, E.L. Heinecke, J.L. Beckerman, and P.T. Magee A system of rapid isolation of end-DNA from a small amount of fosmid DNA, with vector-based PCR for chromosome walking **305**

June / juin

REVIEW / SYNTHÈSE

S. Abbo, S. Lev-Yadun, and G. Ladizinsky Tracing the wild genetic stocks of crop plants **309**

ARTICLES

A.K. Naumova, C.M.T. Greenwood, and K. Morgan Imprinting and deviation from Mendelian transmission ratios **311**

B. Liu, C.L. Brubaker, G. Mergeai, R.C. Cronn, and J.F. Wendel Polyploid formation in cotton is not accompanied by rapid genomic changes **321**

F. Pelliccia, R. Barzotti, E. Bucciarelli, and A. Rocchi 5S ribosomal and *U1* small nuclear RNA genes: A new linkage type in the genome of a crustacean that has three different tandemly repeated units containing 5S ribosomal DNA sequences **331**

F. Viard, Y.A. El-Kassaby, and K. Ritland Diversity and genetic structure in populations of *Pseudotsuga menziesii* (Pinaceae) at chloroplast microsatellite loci **336**

V. Huguet-Robert, F. Dedryver, M.S. Röder, V. Korzun, P. Abélard, A.M. Tanguy, B. Jaudeau, and J. Jahier Isolation of a chromosomally engineered durum wheat line carrying the *Aegilops ventricosa Pch1* gene for resistance to eyespot **345**

A.E. Vinogradov, O.V. Anatskaya, and B.N. Kudryavtsev Relationship of hepatocyte ploidy levels with body size and growth rate in mammals **350**

W.D. Smilde, J. Haluškova, T. Sasaki, and A. Graner New evidence for the synteny of rice chromosome 1 and barley chromosome 3H from rice expressed sequence tags **361**

H. Harrak, S. Azelmat, E.N. Baker, and Z. Tabaeizadeh Isolation and characterization of a gene encoding a drought-induced cysteine protease in tomato (*Lycopersicon esculentum*) **368**

N. Collins, R. Park, W. Spielmeyer, J. Ellis, and A.J. Pryor Resistance gene analogs in barley and their relationship to rust resistance genes **375**

Z.-N. Yang, X.-R. Ye, S. Choi, J. Molina, F. Moonan, R.A. Wing, M.L. Roose, and T.E. Mirkov Construction of a 1.2-Mb contig including the citrus tristeza virus resistance gene locus using a bacterial artificial chromosome library of *Poncirus trifoliata* (L.) Raf. **382**

J.A. Swidzinski, S.T. Zaplachinski, S.D.X. Chuong, J.F.K. Wong, and D.G. Muench Molecular characterization and expression analysis of a highly conserved rice *mago nashi* homolog **394**

X.-F. Ma, K. Ross, and J.P. Gustafson Physical mapping of restriction fragment length polymorphism (RFLP) markers in homoeologous groups 1 and 3 chromosomes of wheat by in situ hybridization **401**

N. Billotte, A.M. Risterucci, E. Barcelos, J.L. Noyer, P. Amblard, and F.C. Baurens Development, characterisation, and across-taxa utility of oil palm (*Elaeis guineensis* Jacq.) microsatellite markers **413**

R.W. Masuelli Mitotic-cycle time and the development of embryo and endosperm in compatible and incompatible crosses in tuber-bearing *Solanum* species **426**

G.S. Dangl, M.L. Mendum, B.H. Prins, M.A. Walker, C.P. Meredith, and C.J. Simon Simple sequence repeat analysis of a clonally propagated species: A tool for managing a grape germplasm collection **432**

A. Reeves MicroMeasure: A new computer program for the collection and analysis of cytogenetic data **439**

M.R. Foolad, L.P. Zhang, and G.Y. Lin Identification and validation of QTLs for salt tolerance during vegetative growth in tomato by selective genotyping **444**

J.P. Brunelli, B.D. Robison, and G.H. Thorgaard Ancient and recent duplications of the rainbow trout Wilms' tumor gene **455**

J. Song, F. Dong, J.W. Lilly, R.M. Stupar, and J. Jiang Instability of bacterial artificial chromosome (BAC) clones containing tandemly repeated DNA sequences **463**

H.-M. Ku, J. Liu, S. Doganlar, and S.D. Tanksley Exploitation of *Arabidopsis*–tomato synteny to construct a high-resolution map of the *ovate*-containing region in tomato chromosome 2 **470**

G.S.C. Buso, P.H.N. Rangel, and M.E. Ferreira Analysis of random and specific sequences of nuclear and cytoplasmic DNA in diploid and tetraploid American wild rice species (*Oryza* spp.) **476**

NOTE

M. Parani, K. Rajesh, M. Lakshmi, L. Parducci, A.E. Szmidt, and A. Parida Species identification in seven small millet species using polymerase chain reaction – restriction fragment length polymorphism of *trn*S-*psb*C gene region **495**

August / août

ARTICLES

H. Tsujimoto, T. Yamada, K. Hasegawa, N. Usami, T. Kojima, T.R. Endo, Y. Ogihara, and T. Sasakuma Large-scale selection of lines with deletions in chormonsome IB in wheat and applications for fine deletion mapping **501**

Z.X. Shi, X.M. Chen, R.F. Line, H. Leung, and C.R. Wellings Development of resistance gene analog polymorphism markers for the *Yr9* gene resistance to wheat stripe rust **509**

M. Martínez, T. Naranjo, C. Cuadrado, and C. Romero The synaptic behaviour of the wild forms of *Triticum turgidum* and *T. timopheevii* **517**

R. Kota, M. Wolf, W. Michalek, and A. Graner Application of denaturing high-performance liquid chromatography for mapping of single nucleotide polymorphisms in barley (*Hordeum vulgare* L.) **523**

S. Van Campenhout, J. Vander Stappen, and G. Volckaert The specific isolation of complete 5S rDNA units from chromosome 1A of hexaploid, tetraploid, and diploid wheat species using PCR with head-to-head oriented primers **529**

F.G. Biddle and B.A. Eales Lateral asymmetry of paw usage: phenotypic survey of constitutive and experience-conditioned paw-usage behaviours among common strains of the mouse **539**

P. Bogani, A. Simoni, P. Lio', A. Germinario, and M. Buiatti Molecular variation in plant cell populations evolving in vitro in different physiological contexts **549**

N. Ren and M.P. Timko AFLP analysis of genetic polymorphism and evolutionary relationships among cultivated and wild *Nicotiana* species **559**

L.F. Marek, J. Mudge, L. Darnielle, D. Grant, N. Hanson, M. Paz, Y. Huihuang, R. Denny, K. Larson, D. Foster-Hartnett, A. Cooper, D. Danesh, D. Larsen, T. Schmidt, R. Staggs, J.A. Crow, E. Retzel, N.D. Young, and R.C. Shoemaker Soybean genomic survey: BAC-end sequences near RFLP and SSR markers **572**

L. Yan and M. Bhave Characterization of waxy proteins and *waxy* genes of *Triticum timopheevii* and *T. zhukovskyi* and implications for evolution of wheat **582**

P. Lashermes, M.C. Combes, N.S. Prakash, P. Trouslot, M. Lorieux and A. Charrier Genetic linkage map of *Coffea canephora*: effect of segregation distortion and analysis of recombination rate in male and female meioses **589**

J.G. Vontas, S.C. Tsakas, M. Loukas, and J. Hemingway Low-activity allele of copper–zinc superoxide dismutase (CuZnSOD) in *Drosophila* increases paraquat genotoxicity but does not affect near UV radiation damage **597**

T. Yin, M. Huang, M. Wang, L.-H. Zhu, Z.-B. Zeng, and R. Wu Preliminary interspecific genetic maps of the *Populus* genome constructed from RAPD markers **602**

R. Guadagnuolo, D. Savova Bianchi, and F. Felber Specific genetic markers for wheat, spelt, and four wild relatives: comparison of isozymes, RAPDs, and wheat microsatellites **610**

K. Kamaté, S. Brown, P. Durand, J.-M. Bureau, D. De Nay, and T.H. Trinh Nuclear DNA content and base composition in 28 taxa of *Musa* **622**

K. Vasu, M.S. Aghaee-Sarbarzel, and H.S. Dhaliwal Microsatellite markers reveal chimeric origin of redesignated chromosome 4A of wheat from *Triticum urartu* and other species **628**

K.S. Gill and D. Sandhu Candidate-gene cloning and targeted marker enrichment of wheat chromosomal regions using RNA fingerprinting – differential display **633**

N. Cuñado, E. Sánchez-Morán, J. Barrios, and J.L. Santos Searching for telomeric sequences in two *Allium* species **640**

C.D. Riggs, K. Zeman, R. DeGuzman, A. Rzepczyk, and A.A. Taylor Antisense inhibition of a tomato meiotic proteinase suggests functional redundancy of proteinases during microsporogenesis **644**

J. Adé, Y. Haffani, and F.J. Belzile Functional analysis of the *Arabidopsis thaliana* mismatch repair gene *MSH2* **651**

T. Ishii, Y. Xu, and S.R. McCouch Nuclear- and chloroplast-microsatellite variation in A-genome species of rice **658**

M.D. McMullen, M. Snook, E.A. Lee P.F. Byrne, H. Kross, T.A. Musket, K. Houchins, and E.H. Coe, Jr. The biological basis of epistasis between quantitative trait loci for flavone and 3-deoxyanthocynin systhesis in maize (*Zea mays* L.) **667**

A. Wong, M.R. Forbes, and M.L. Smith Characterization of AFLP markers in damselflies: prevalence of codominant markers and implications for population genetic applications **677**

A. Benabdelmouna, Y. Shi, M. Abirached-Darmency, and H. Darmency Genomic in situ hybridization (GISH) discriminates between the A and the B genomes in diploid and tetraploid *Setaria* species **685**

S.K. Svitashev and D.A. Somers Genomic interspersions determine the size and complexity of transgene loci in transgenic plants produced by microprojectile bombardment 691

P. Morcillo and R.J. MacIntyre Genetic and molecular characterization of a variegating *hsp70–lacZ* fusion gene in the euchromatic 31B region of *Drosophila melanogaster* 698

A. Refoufi, J. Jahier, and M.-A. Esnault Genome analysis of *Elytrigia pycnantha* and *Thinopyrum junceiforme* and of their putative natural hybrid using the GISH technique 708

P. Neumann, M. Nouzová, and J. Macas Molecular and cytogenetic analysis of repetitive DNA in pea (*Pisum sativum* L.) 716

TECHNIQUE

F. Dong, J.M. McGrath, J.P. Helgeson, and J. Jiang The genetic identity of alien chromosomes in potato breeding lines revealed by sequential GISH and FISH analyses using chromosome-specific cytogenetic DNA markers 729

NOTES

A. Leitão, P. Boudry, and C. Thiriot-Quiévreux Evidence of differential chromosome loss in aneuploid karyotypes of the Pacific oyster, *Crassostrea gigas* 735

B.F. Cheng, G. Séguin-Swartz, D.J. Somers, and G. Rakow Low glucosinolate *Brassica juncea* breeding line revealed to be nullisomic 738

October / octobre

ARTICLES

M.W.T. Tanck, A.P. Palstra, M. van de Weerd, C.P. Leffering, J.J. van der Poel, H. Bovenhuis, and J. Komen Segregation of microsatellite alleles and residual heterozygosity at single loci in homozygous androgenetic common carp (*Cyprinus carpio* L.) 743

A. Gariou-Papalexiou, A.C. Mintzas, and A. Zacharopoulou Ecdysone-regulated chromosome puffing in the salivary glands of the Mediterranean fruit fly, *Ceratitis capitata* 752

S.N. Raina, V. Rani, T. Kojima, Y. Ogihara, K.P. Singh, and R.M. Devarumath RAPD and ISSR fingerprints as useful genetic markers for analysis of genetic diversity, varietal identification, and phylogenetic relationships in peanut (*Arachis hypogaea*) cultivars and wild species 763

J. Jakše, K. Kindlhofer, and B. Javornik Assessment of genetic variation and differentiation of hop genotypes by microsatellite and AFLP markers 773

M.T. Dettori, R. Quarta, and I. Verde A peach linkage map integrating RFLPs, SSRs, RAPDs, and morphological markers 783

C.R. Bonvicino, P.S. D'Andrea, and P.M. Borodin Pericentric inversion in natural populations of *Oligoryzomys nigripes* (Rodentia: Sigmodontinae) 791

S.-Y. Lu, C.-I. Peng, Y.-P. Cheng, K.-H. Hong, and T.-Y. Chiang Chloroplast DNA phylogeography of *Cunninghamia konishii* (Cupressaceae), an endemic conifer of Taiwan 797

C.D. Ryder, L.B. Smith, G.R. Teakle, and G.J. King Contrasting genome organisation: two regions of the *Brassica oleracea* genome compared with collinear regions of the *Arabidopsis thaliana* genome 808

K.K. Nkongolo, A. Deck, and P. Michael Molecular and cytological analyses of *Deschampsia cespitosa* populations from Northern Ontario (Canada) 818

E.M. Temsch and J. Greilhuber Genome size in *Arachis duranensis*: a critical study 826

G.E. McKinnon, R.E. Vaillancourt, P.A. Tilyard, and B.M. Potts Maternal inheritance of the chloroplast genome in *Eucalyptus globulus* and interspecific hybrids 831

M. Oliver, J. Garcia-Mas, M. Cardús, N. Pueyo, A.I. López-Sesé, M. Arroyo, H. Gómez-Paniagua, P. Arús, and M.C. de Vicente Construction of a reference linkage map for melon 836

F. Gindullis, D. Dechyeva, and T. Schmidt Construction and characterization of a BAC library for the molecular dissection of a single wild beet centromere and sugar beet (*Beta vulgaris*) genome analysis 846

T. Axelsson, O. Shavorskaya, and U. Lagercrantz Multiple flowering time QTLs within several *Brassica* species could be the result of duplicated copies of one ancestral gene 856

C.M. Caetano-Pereira and M.S. Pagliarini A new meiotic abnormality in *Zea mays*: multiple spindles associated with abnormal cytokinesis in both divisions 865

F.G. Biddle, D.A. Jones, and B.A. Eales A two-locus model for experience-conditioned direction of paw usage in the mouse is suggested by dominant and recessive constitutive paw usage behaviours 872

M.A. Rodriguez Milla and J.P. Gustafson Genetic and physical characterization of chromosome 4DL in wheat **883**

A.P. Wasko, C. Martins, J.M. Wright, and P.M. Galetti, Jr. Molecular organization of 5S rDNA in fishes of the genus *Brycon* **893**

C. Martins and P.M. Galetti, Jr. Organization of 5S rDNA in species of the fish *Leporinus*: two different genomic locations are characterized by distinct nontranscribed spacers **903**

K.-B. Lim, J. Wennekes, J.H. de Jong, E. Jacobsen, and J.M. van Tuyl Karyotype analysis of *Lilium longiflorum* and *Lilium rubellum* by chromosome banding and fluorescence in situ hybridisation **911**

K.H. Soanes and J.B. Bell The *Drosophila aeroplane* mutant is caused by an I-element insertion into a tissue-specific *teashirt* enhancer motif **919**

L. Barthes and A. Ricroch Interspecific chromosomal rearrangements in monosomic addition lines of *Allium* **929**

NOTE

A.M. Castillo, L. Cistué, I. Romagosa, and M.P. Vallés Low responsiveness of six-rowed genotypes to androgenesis in barley does not have a pleiotropic basis **936**

December / décembre

ARTICLES

L. Marché, S. Valette, E. Grenier, and D. Mugniéry Intra-species DNA polymorphism in the tobacco cyst – nematode complex (*Globodera tabacum*) using AFLP **941**

S.K. Behura, S. Nair, and M. Mohan Polymorphisms flanking the *mariner* integration sites in the rice gall midge (*Orseolia oryzae* Wood-Mason) genome are biotype-specific **947**

V.A. Saunders and A. Houben The pericentromeric heterochromatin of the grass *Zingeria biebersteiniana* ($2n = 4$) is composed of Zbcen1-type tandem repeats that are intermingled with accumulated dispersedly organized sequences **955**

P. Lebrun, L. Baudouin, R. Bourdeix, J. Louis Konan, J.H.A. Barker, C. Aldam, A. Herrán, and E. Ritter Construction of a linkage map of the Rennell Island Tall coconut type (*Cocos nucifera* L.) and QTL analysis for yield characters **962**

S. Barth, A.E. Melchinger, B. Devezi-Savula, and T. Lübberstedt Influence of genetic background and heterozygosity on meiotic recombination in *Arabidopsis thaliana* **971**

L.M. Muñiz, A. Cuadrado, N. Jouve, and J.M. González The detection, cloning, and characterisation of WIS 2-1A retrotransposon-like sequences in *Triticum aestivum* L. and ×*Triticosecale* Wittmack and an examination of their evolution in related Triticeae **979**

P.C. Demacio and P.N. Ray α-Catulin maps to the familial dysautonomia region on 9q31 **990**

H.I. Amadou, P.J. Bebeli, and P.J. Kaltsikes Genetic diversity in Bambara groundnut (*Vigna subterranea* L.) germplasm revealed by RAPD markers **995**

H. Ozkan and M. Feldman Genotypic variation in tetraploid wheat affecting homoeologous pairing in hybrids with *Aegilops peregrina* **1000**

W.K. Heneen and R.B. Jørgensen Cytology, RAPD, and seed colour of progeny plants from *Brassica rapa-alboglabra* aneuploids and development of monosomic addition lines **1007**

L.E. Sáenz de Miera and M. Pérez de la Vega Evidence that the N-terminal extension of the Vicieae convicilin genes evolved by intragenic duplications and trinucleotide expansions **1022**

D. Schmidt, M.S. Röder, H. Dargatz, N. Wolf, G.F. Schweizer, A. Tekauz, and M.W. Ganal Construction of a YAC library from barley cultivar Franka and identification of YAC-derived markers linked to the *Rh*2 gene conferring resistance to scald (*Rhynchosporium secalis*) **1031**

J.C. Glaubitz, L.C. Emebiri, and G.F. Moran Dinucleotide microsatellites from *Eucalyptus sieberi*: inheritance, diversity, and improved scoring of single-base differences **1041**

B. Tar'an, T.E. Michaels, and K.P. Pauls Mapping genetic factors affecting the reaction to *Xanthomonas axonopodis* pv. *phaseoli* in *Phaseolus vulgaris* L. under field conditions **1046**

K.S. Lewers, S.D. Nilmalgoda, A.L. Warner, H.T. Knap, and B.F. Matthews Physical mapping of resistant and susceptible soybean genomes near the soybean cyst nematode resistance gene Rhg_4 **1057**

J.B. Holland, S.J. Helland, N. Sharopova, and D.C. Rhyne Polymorphism of PCR-based markers targeting exons, introns, promoter regions, and SSRs in maize and introns and repeat sequences in oat **1065**

D.J. Somers, G. Rakow, V.K. Prabhu, and K.R.D. Friesen Identification of a major gene and RAPD markers for yellow seed coat colour in *Brassica napus* **1077**

M. Fourmann, F. Charlot, N. Froger, R. Delourme, and D. Brunel Expression, mapping, and genetic variability of *Brassica napus* disease resistance gene analogues **1083**

S. Bucci, L. Giani, G. Mancino, M. Pellegrino, and M. Ragghianti TAFII70 protein in Cajal bodies of the amphibian germinal vesicle **1100**

M. Xu, J. Song, Z. Cheng, J. Jiang, and S.S. Korban A bacterial artificial chromosome (BAC) library of *Malus floribunda* 821 and contig construction for positional cloning of the apple scab resistance gene *Vf* **1104**

A. Kato Heterofertilization exhibited by trifluralin-induced bicellular pollen on diploid and tetraploid maize crosses **1114**

C. Ribeiro-Carvalho, H. Guedes-Pinto, J.S. Heslop-Harrison, and T. Schwarzacher Introgression of rye chromatin on chromosome 2D in the Portuguese wheat landrace 'Barbela' **1122**

Z.Y. Zhang, Z.Y. Xin, and P.J. Larkin Molecular characterization of a *Thinopyrum intermedium* Group 2 chromosome (2Ai-2) conferring resistance to barley yellow dwarf virus **1129**

NOTES

S. Ge, T. Sang, B.-r. Lu, and D.-y. Hong Rapid and reliable identification of rice genomes by RFLP analysis of PCR-amplified *Adh* genes **1136**

N. Cuñado, J. Terrones, L. Sánchez, P. Martínez, and J.L. Santos Synaptonemal complex analysis in spermatocytes and oocytes of turbot, *Scophthalmus maximus* (Pisces, Scophthalmidae). **1143**

M. Ørgaard and K. Anamthawat-Jónsson Corrigendum: Genomic discrimination by in situ hybridization in Icelandic species of *Elymus* and *Elytrigia* (Poaceae: Triticeae) **1148**

Author index for Volume 44 / Index des auteurs pour le volume 44 **AI-1**

Contents for Volume 44 / Sommaire pour le volume 44 **C-1**